

Version 2.1	Revision Date 11/12/2018	Print Date 12/13/2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	CONCENTRATED GLASS CLEANER 5GL
Material number	:	0000000000105235
Manufacturer or supplier's o	leta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Glass Cleaner

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	blue, clear
Odour	characteristic

GHS Classification

Flammable liquids Eye irritation Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure (Inhalation)	 Category 3 Category 2A Category 3 (Central nervous system) Category 2
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H226 Flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or



Version 2.1	Revision Date 11/12/2018	Print Date 12/13/2018
	repeated exposure if inhaled.	
Precautionary statements	 Prevention: P210 Keep away from heat/spark No smoking. P233 Keep container tightly close P240 Ground/bond container and P241 Use explosion-proof electri equipment. P242 Use only non-sparking tool P243 Take precautionary measu P260 Do not breathe dust/ fume/ P264 Wash skin thoroughly after P271 Use only outdoors or in a w P280 Wear protective gloves/ eye Response: P303 + P361 + P353 IF ON SKIN immediately all contaminated clo water/shower. P304 + P340 + P312 IF INHALEI and keep comfortable for breathi CENTER/doctor if you feel unwel P305 + P351 + P338 IF IN EYES for several minutes. Remove con easy to do. Continue rinsing. P314 Get medical advice/ attentio P370 + P378 In case of fire: Use alcohol-resistant foam to extingui Storage: P403 + P233 Store in a well-vent tightly closed. P235 Keep cool. Disposal: P501 Dispose of contents/contain regulation. 	ed. d receiving equipment. cal/ ventilating/ lighting s. res against static discharge. gas/ mist/ vapours/ spray. handling. vell-ventilated area. e protection/ face protection. N (or hair): Take off thing. Rinse skin with D: Remove person to fresh air ng. Call a POISON II. S: Rinse cautiously with water ntact lenses, if present and on if you feel unwell. sists: Get medical advice/ dry sand, dry chemical or ish. tilated place. Keep container

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
propan-2-ol	67-63-0	>= 10 - < 20
ammonium dodecyl sulphate	2235-54-3	>= 1 - < 3
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES



Version 2.1	Revision Date 11/12/2018	Print Date 12/13/2018
General advice	: Move out of dangerous area. Show this safety data sheet to Do not leave the victim unatter Get medical attention immedia	nded.
If inhaled	 If unconscious, place in recover advice. If symptoms persist, call a phy Move to fresh air. 	
In case of skin contact	: Remove contaminated clothing If symptoms persist, call a phy Wash clothing before reuse. Wash off immediately with pley minutes.	sician.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rins If eye irritation persists, consul Rinse immediately with plenty for at least 15 minutes.	
If swallowed	: Keep respiratory tract clear. Never give anything by mouth If symptoms persist, call a phy DO NOT induce vomiting unles physician or poison control cer	sician. ss directed to do so by a
Most important symptoms and effects, both acute and delayed	 Effects are immediate and dela Symptoms may include irritation Effects are dependent on exponent contact time). Symptoms may differ depending affected. These effects generate function or change, which may respiratory issues, and generate Causes serious eye irritation. Review section 2 of SDS to set 	on, redness, pain, and rash. osure (dose, concentration, ng on organs and systems ally are reflected in reduced v include cramping, swelling, I pain.
Notes to physician	: Treat symptomatically. Sympt	oms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.



Version 2.1	Revision Date 11/12/2018	Print Date 12/13/2018
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide	
Specific extinguishing	Smoke Nitrogen oxides (NOx) Sulphur oxides : Use extinguishing measures tha	it are appropriate to local
methods	circumstances and the surround	
Further information	: Collect contaminated fire extingumust not be discharged into drain Fire residues and contaminated be disposed of in accordance with For safety reasons in case of fire separately in closed containment Use a water spray to cool fully c	ins. fire extinguishing water must ith local regulations. e, cans should be stored its.
Special protective equipment for firefighters	: Wear self-contained breathing a necessary.	pparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explos concentrations. Vapours can accumulate in low	
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do If the product contaminates rivers and lakes or respective authorities.	
Methods and materials for containment and cleaning up	Contain spillage, and then collect with non-com absorbent material, (e.g. sand, earth, diatomac vermiculite) and place in container for disposal local / national regulations (see section 13).	eous earth,

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of aerosol. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	: No smoking. Keep container tightly closed in a dry and well-ventilated

-



CONCENTRATED GLASS CLEANER 5GL

Version 2.1	Revision Date 11/12/2018	Print Date 12/13/2018
	place. Containers which are opened mus kept upright to prevent leakage. Observe label precautions. Electrical installations / working m the technological safety standards	aterials must comply with
Materials to avoid	: Keep away from oxidizing agents materials.	and strongly acid or alkaline

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0
		PEL	400 ppm 980 mg/m3	CAL PEL
		STEL	500 ppm 1,225 mg/m3	CAL PEL

Components with workplace control parameters

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines
Hand protection Material	: Protective gloves



Version 2.1	Revision Date 11/12/2018	Print Date 12/13/2018
Remarks	: The suitability for a specific workpl with the producers of the protective	
Eye protection	: Safety glasses Access to clean water to rinse eye include: eye wash stations or show with pure water.	
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous su	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: blue, clear
Odour	: characteristic
Odour Threshold	: No data available
рН	: 9.0 - 9.5
Melting point/freezing point	: No data available
Boiling point	: 100 °C
Flash point	: 31.1 °C Method: closed cup
Evaporation rate	: 1
Upper explosion limit	: 12 %(V)
Lower explosion limit	: 1 %(V)
Vapour pressure	: not determined
Relative vapour density	: No data available
Density	: 0.976 g/cm3
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined



Version 2.1	Revision Date 11/12/2018	Print Date 12/13/2018
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: 5.5 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Effects are dependent on exposure (dose, concentration, contact time). Symptoms may differ depending on organs and systems affected. These effects generally are reflected in reduced function or change, which may include cramping, swelling, respiratory issues, and general pain.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans
OSHA	ethanol 64-17-5 No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.



CONCENTRATED GLAS	DO GLEANER OGL	
Version 2.1	Revision Date 11/12/2018	Print Date 12/13/2018
NTP	No component of this product present at l equal to 0.1% is identified as a known or by NTP.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	1
Components:		
propan-2-ol: Acute oral toxicity	: LD50 Oral Rat: 4,396 mg/kg Method: Calculation method	
ammonium dodecyl sulphate Acute oral toxicity	e: : LD50 Oral Rat: > 5,000 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritation	1	
Product:		
Remarks: Severe eye irritation		
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
Components:		
tetrasodium ethylenediamine Exposure routes: Inhalation Assessment: May cause da		epeated exposure.
Aspiration toxicity		

SAFETY DATA SHEET



CONCENTRATED GLASS CLEANER 5GL

Version 2.1

Revision Date 11/12/2018

Print Date 12/13/2018

No data available

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents.



Version 2.1

Revision Date 11/12/2018

Print Date 12/13/2018

Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): UN1993, FLAMMABLE LIQUID, N.O.S., (ETHANOL), 3, III

Transportation Regulation: IATA (Cargo Air): UN1993, Flammable liguid, n.o.s., (ETHANOL), 3, III

Transportation Regulation: IATA (Passenger Air): UN1993, Flammable liquid, n.o.s., (ETHANOL), 3, III

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.		Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



Version 2.1	Revision Date 11/12/2018	Print Date 12/13/2018
SARA 311/312 Hazards	: Flammable (gases, aerosols, liquids, Serious eye damage or eye irritation Specific target organ toxicity (single o	,
SARA 302	: No chemicals in this material are subj requirements of SARA Title III, Section	
SARA 313	: This material does not contain any ch known CAS numbers that exceed the reporting levels established by SARA	threshold (De Minimis)
California Prop. 65		
	This product does not contain any of California to cause cancer, birth def reproductive harm.	

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

OSHA - GHS Label Information:

^{4 =} Extreme, * = Chronic



Ve	rsion	21
v C	131011	<u> </u>

Revision Date 11/12/2018

Print Date 12/13/2018

Hazard pictograms	
Signal word	: Warning:
Hazard statements	 Flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	:
	 Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection. Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/ attention if you feel unwell. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: Store in a well-ventilated place. Keep container tightly closed. Keep cool. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	2.1
Revision Date:	11/12/2018
Print Date:	12/13/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.