

Version 3.0	Revision Date 04/17/2018	Print Date 12/14/2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP MULTI-CLEAN GREEN 5GL
Material number	:	00000000000124939
Manufacturer or supplier's o	leta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid	
Colour	green	
Odour	odourless	

GHS Classification

Skin corrosion Serious eye damage	Category 1 Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



Version 3.0	Revision Date 04/17/2018	Print Date 12/14/2018
	P303 + P361 + P353 IF ON SKIN immediately all contaminated clo water/shower. P304 + P340 + P310 IF INHALEI and keep comfortable for breathi POISON CENTER/doctor. P305 + P351 + P338 + P310 IF I water for several minutes. Remo and easy to do. Continue rinsing. CENTER/doctor. P363 Wash contaminated clothin Disposal: P501 Dispose of contents/contain regulation.	thing. Rinse skin with D: Remove person to fresh air ng. Immediately call a N EYES: Rinse cautiously with ve contact lenses, if present Immediately call a POISON og before reuse.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
1-butoxypropan-2-ol	5131-66-8	>= 3 - < 5
DIPOTASSIUM METASILICATE	10006-28-7	>= 3 - < 5
Alcohols, C12-16, ethoxylated	68551-12-2	>= 1 - < 3
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3
dodecyldimethylamine oxide	1643-20-5	>= 1 - < 3
sodium xylenesulphonate	1300-72-7	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Get medical attention immediately. Show this safety data sheet to the doctor in attendance Do not leave the victim unattended.	ce.
If inhaled	If unconscious, place in recovery position and seek m advice. If symptoms persist, call a physician.	redical
In case of skin contact	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Immediate medical treatment is necessary as untreative wounds from corrosion of the skin heal slowly and wit difficulty.	ed
In case of eye contact	Small amounts splashed into eyes can cause irrevers	ible



Version 3.0	Revision Date 04/17/2018	Print Date 12/14/2018
	tissue damage and blindness. Rinse immediately with plenty of w for at least 15 minutes. Continue rinsing eyes during trans Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s	port to hospital.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic bever Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center.	n unconscious person. in. irected to do so by a
Most important symptoms and effects, both acute and delayed	 Effects are dependent on exposure contact time). Effects are immediate and delayed Symptoms may include blistering, Causes severe skin burns and eye Review section 2 of SDS to see all 	l. irritation, burns, and pain. damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing		Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides Use extinguishing measures that are appropriate to local
methods	•	circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SAFETY DATA SHEET



ZEP MULTI-CLEAN GREEN 5GL

Version 3.0

Revision Date 04/17/2018

Print Date 12/14/2018

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.	
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Do not store near acids. Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	effective ventilation in all processing areas
Personal protective equipme	nt	
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material Remarks		Protective gloves The suitability for a specific workplace should be discussed



Version 3.0	Revision Date 04/17/2018	Print Date 12/14/2018
	with the producers of the protective g	loves.
Eye protection	 Access to clean water to rinse eyes minclude: eye wash stations or showers with pure water. Tightly fitting safety goggles Wear face-shield and protective suit f problems. 	s, or eye wash bottles
Skin and body protection	: Impervious clothing Choose body protection according to concentration of the dangerous subst	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the	end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: green
Odour	: odourless
Odour Threshold	: No data available
рН	: 11.5 - 12.0
Melting point/freezing point	: No data available
Boiling point	: 104.4 °C
Flash point	: 93.3 °C
Evaporation rate	: 1
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.027 g/cm3
Bulk density	: No data available
Solubility(ies)	
Water solubility	: soluble in cold water
Solubility in other solvents	: soluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available



Version 3.0	Revision Date 04/17/2018	Print Date 12/14/2018
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: 5.7 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions. No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	 Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition Symptoms of Overexposure	 None known. Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



Version 3.0	Revision Date 04/17/2018	Print Date 12/14/2018
	Revision Date 04/17/2016	Filli Dale 12/14/2010
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Components:		
DIPOTASSIUM METASILIC Acute oral toxicity	ATE: : LD50 Oral Rat: 273 mg/kg	
Alcohols, C9-11, ethoxylat Acute oral toxicity		
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosi	ve and destructive to tissue.	
Serious eye damage/eye irritat	ion	
Product:		
Remarks: May cause irreven	sible eye damage.	
Respiratory or skin sensitisation	on	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		



Version 3.0

Revision Date 04/17/2018

Print Date 12/14/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water <u>Components:</u> 1-butoxypropan-2-ol :	: Remarks: No data available
Partition coefficient: n- octanol/water	: Pow: 1.2
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SAFETY DATA SHEET



ZEP MULTI-CLEAN GREEN 5GL

Version 3.0

Revision Date 04/17/2018

Print Date 12/14/2018

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



Version 3.0

Revision Date 04/17/2018

Print Date 12/14/2018

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:


DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:

Hazard pictograms

Signal word Hazard statements Precautionary statements





Causes severe skin burns and eye damage.

Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. **Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF



Version 3.0

Revision Date 04/17/2018

Print Date 12/14/2018

INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	3.0
Revision Date:	04/17/2018
Print Date:	12/14/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.